

Anti-UXT, Biotinylated antibody (C-Term) {Biotin} (STJ73205) STJ73205

GENERAL INFORMATION

 Product Type
 Primary antibodies

 Short Description
 Goat polyclonal antibody anti-UXT, Biotinylated (C-Term) is suitable for use in ELISA research applications.

 Applications
 Pep-ELISA

 Host/Source
 Goat

 Reactivity
 Human

PRODUCT PROPERTIES

 Clonality Clone ID
 Polyclonal

 Concentration Congustion
 0.5 mg/mL

 Botin
 Biotin

 Purification
 Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography using the immunizing peptide.

 Dilution Range
 WB-0.3-1µg/ml ELISA-antibody detection limit dilution 1:64000.

 Formulation
 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin. NA

 Isotype
 IgG

 Storage Instruction
 Store at-20 on receipt and minimise freeze-thaw cycles.

TARGET INFORMATION

| Immu | Immunogen nogen Region Specificity | UXT UXT_HUMAN |
|---|--|------------------|
| | 250kDa 150kDa 100kDa 75kDa 50kDa | |
| | 37kDa 25kDa 20kDa | |
| 15kDa 15kDa ylated STJ71402 (0. 3ug/ml) staining of Human lysate (SSup protein in RIPA buffer), exactly ing its parential non-bolitriylated product. Primary ation was 1 hour. Detected by luminescence, using streptavidin-HRP and using locker as a substitute for skimmed milk. | | |

This product is suitable for in-vitro studies under the RESEARCH USE ONLY [RUO] licence. This product must not be used as for diagnostic or other medical purposes. St John's Laboratory Ltd, Knowledge Dock Business Centre, University Way, London, E16 2RD | Tel: 0208 223 3081