

Anti-SDHA antibody (C-Term) (STJ95591) STJ95591

GENERAL INFORMATION

Product Type	Primary antibodies
Short	Rabbit polyclonal antibody anti-Succinate Dehydrogenase Ubiquinone Flavoprotein Subunit-Mitochondrial (C-Term) is suitable for use
Description	in Western Blot and ELISA research applications.
Applications	WB, ELISA
Host/Source	Rabbit
Reactivity	Human, Mouse, Rat
-	

PRODUCT PROPERTIES

Clonality Clone ID	Polyclonal
Concentration	1 mg/mL
Conjugation	Unconjugated
Purification	The antibody was affinity-purified from rabbit anti-serum by affinity-chromatography.
Dilution	WB 1:500-1:2000
Range	ELISA 1:10000
Formulation	PBS, 50% Glycerol, 0.5% BSA and 0.02% Sodium Azide.
Isotype	lgG
Storage Instruction	Store at-20°C for up to 1 year from the date of receipt, and avoid repeat freeze-thaw cycles.

TARGET INFORMATION

Gene ID Gene Symbol			
•	SDHA HUMAN		
Immunogen	—	otide derived from human SDHA at amino acid range 551-600	
Immunogen	C-Term	-	
Region			
Specificity			
Immunogen	Succinate Dehydrogenase Ubiquinone Flavoprotein Su	ubunit-Mitochondrial at the amino acid region C-Term.	
Sequence			
HeLa	-117	with	
(kD)	-85	KOla 3T3 Jurkat K562 HepG2 es ^{kylden} 120	
117- 85-	SDHA	90	
83-		SDHA	
	-49		
48-		50	
34-	-34		
26-	-25	39 <mark></mark>	
	-25		
19-	-19	27	
Western blot analysis of HepG2 ce Polyclonal Antibody diluted at 1: 2000	ills using SDHA Western blot analysis of lysate from HeLa cells, using SDHA antibody.	ng Western blot analysis of various cells using SDHA Polyclonal Antibody diluted at 1: 2000	

This product is suitable for in-vitro studies under the RESEARCH USE ONLY [RUO] licence. This product must not be used as for diagnostic or other medical purposes. St John's Laboratory Ltd, Knowledge Dock Business Centre, University Way, London, E16 2RD | Tel: 0208 223 3081